

Appendix A: Return Codes/Error codes

▼ [Content](#)

For the detailed description of web service requests, please visit [WEB-SERVICES](#) documentation.

Appendix A: Return Codes/Error codes

TAF/TSI Code	PCS Code	Name	Description	Sample code helps you to detect the code part
	100	SUCCESS	The response indicates that the request SUCCESSFULLY processed.	<status>100</status>
	201	UNKNOWN_AGENCY_ID	Unknown AGENCY ID that can't be resolved in the system. For a list of valid agency IDs, please run the getAllAgencies web service request.	<agency id="2600">
	202	UNKNOWN_DOSSIER_TYPE_ID	Unknown DOSSIER TYPE ID that can't be resolved in the system. For a valid dossier type ID, please run the getDossier web service request.	<dossier_type_id>D</dossier_type_id> The following Dossier_types are available in the system: ID DESCR D dossiertype.default A dossiertype.change S dossiertype.statusQuo F dossiertype.ausfall T dossiertype.pathAlteration U dossiertype.changeInYear E dossiertype.pathCancellation H dossiertype.partialHarmonization P dossiertype.flexPap
	203	UNKNOWN_PROGRESS_STATUS_ID	Unknown PROGRESS STATUS ID that can't be resolved in the system. For a list of valid progress status IDs, please run the getAllProgressStatuses web service request.	<progress_status_id>U</progress_status_id> <progress_status_description>Not yet processed</progress_status_description>
5087	204	UNKNOWN_BRAKE_TYPE_ID	Unknown BRAKE TYPE ID that can't be resolved in the system. For a list of valid brake type IDs, please run the getAllBrakeTypes web service request.	<brake_type> <brake_type_id>1</brake_type_id> <brake_type_short_name>G</brake_type_short_name> </brake_type>
5134	205	UNKNOWN_OPERATION_POINT_ID	For a list of valid operation point IDs, please run one of the getOperationPointByXYZ web service request.	<operation_point id="2084839"> (PCS ID)

	206	NO_DOSSIER_FOUND_ERROR	Unknown DOSSIER ID. For a valid dossier ID, please run the getDossier web service request.	<dossier_id>218260</dossier_id>
5127	207	UNKNOWN_CALENDAR_ITEM_ERROR	Unknown CALENDAR ITEM. For a valid calendar item ID, please run the getCalendarItemID web service request.	<calendar_item_id>3381325</calendar_item_id>
	208	DOSSIER_VERSION_DOES_NOT_EXIST_ERROR	Unknown DOSSIER VERSION. For a valid dossier version number, please run the getDossier web service request.	<change_nr>10</change_nr>
	209	DOSSIER_ID_MISSING_ERROR	The request is trying to update a dossier, but the DOSSIER ID is missing. For a valid dossier ID, please run the getDossier web service request.	<dossier_id>217995</dossier_id>
	211	UNKNOWN_PATH_ID	Unknown PATH ID that can't be resolved in the system. For a valid path ID, please run the getDossier web service request.	path_id>552758</path_id>
	212	UNKNOWN_PATH_SECTION_ID	Unknown PATH SECTION ID that can't be resolved in the system. For a valid path section ID, please run getDossier web service request.	<path_section id="3704959">
	215	UNKNOWN_COMPOSITION_ID	Unknown COMPOSITION ID that can't be resolved in the system. For a valid path composition relation ID, please run getDossier web service request.	<composition id="69757">
	216	UNKNOWN_COMPOSITION_ITEM_ID	Unknown COMPOSITION ITEM ID that can't be resolved in the system. For a valid composition item ID, please run getDossier web service request.	<pre> <composite_relations> <composite_relation id="2100"> <type>FrequencyTrain</type> <name>TUE</name> <note>Composition Footnote id</note> <starting_dossier_id>218258</starting_dossier_id> <composite_relation_dossier id="2461"> <composite_relation_id>2100</composite_relation_id> <dossier_id>218258</dossier_id> </composite_relation_dossier> <composite_relation_dossier id="2460"> <composite_relation_id>2100</composite_relation_id> <dossier_id>218260</dossier_id> </composite_relation_dossier> </composite_relation> </composite_relations> </pre>
	217	UNKNOWN_COMPOSITION_FOOTNOTE_ID	Unknown COMPOSITION FOOTNOTE ID that can't be resolved in the system. For a valid composition footnote ID, please run getDossier web service request.	<note>Composition Footnote id</note>
	218	UNKNOWN_CONNECTION_ID	Unknown CONNECTION ID that can't be resolved in the system. For a valid connection ID, please run getDossier web service request.	<connection id="122580">

5154	221	UNKNOWN_TRAIN_TYPE	<p>Unknown TRAIN TYPE that can't be resolved in the system.</p> <p>For a list of valid train types, please run the getTrainTypes web service request.</p> <p>The train type can either be Passenger or Cargo (as defined by <dossierdata></is_cargo> flag).</p>	<pre><train_type_id>1000</train_type_id> (<train_type_description>Passenger</train_type_description>)</pre>
5209	222	INVALID_IM_PARAMETER_VALUE_ERROR	<p>Invalid IM PARAMETER value.</p> <p>For a list of valid IM parameter values, please run the getImParameters by IM Agency or run one of the getImParametersForXXX web service requests.</p>	<pre>getImParameters request example: <national_im_parameters id="4121" mandatory="true"> <name>M-AMA Bestellung</name> <type>single choice list</type> <valid_values>Ja Nein</valid_values> <scope>dossier-level</scope> <is_hidden>false</is_hidden> <description>National Path request alright made in M-AMA? </description> </national_im_parameters></pre>
	223	UNKNOWN_DOSSIER_STATUS_ID	<p>Unknown DOSSIER STATUS ID that can't be resolved in the system.</p> <p>For a list of valid dossier status IDs, please run the getDossierProcessPhases web service request.</p> <p>Please define the process_type_id and the dossier_type_id to generate the list.</p>	<pre><dossier_status_id>T</dossier_status_id></pre>
	224	INVALID_TIME_FORMAT	<p>The request contains path section arrival or departure time that can't be interpreted in the system. The supported formats are:</p> <ul style="list-style-type: none"> - HH:mm:ss, - HH:mm, - H:mm:ss, - H:mm, - HH.mm, - H.mm, - HH-mm, - H-mm, - HH mm, - H mm, - HHmm. 	
	225	INVALID_AGENCY_TYPE	<p>The request contains AGENCY TYPE ID that can't be resolved or the referenced AGENCY ID should not be used in that context (e.g. IM agency is set as responsible in the Applicant timetable).</p> <p>For a list of valid agency type IDs, please run the getAgencyTypes web service request.</p>	<pre><agency_type_id>EVU</agency_type_id></pre>
	226	UNKNOWN_GOODS_TYPE_ID	<p>Unknown GOODS TYPE ID that can't be resolved in the system.</p> <p>For a list of valid good type IDs, please run the getGoodsTypesByXYZ web service request.</p>	

	228	UNKNOWN_BAN_WAGGON_ID	Unknown BAN WAGON ID that can't be resolved in the system. For a list of valid ban wagon IDs, please run the getBanWaggonTypes web service request	<ban_waggon_type_id>R</ban_waggon_type_id>
	229	UNKNOWN_CARGO_BRAKE_TYPE_ID	Unknown CARGO BREAK ID that can't be resolved in the system.	
	230	INVALID_OP_VALIDITY_PERIOD	Invalid operation point's VALIDITY PERIOD (<valid_to> is before <valid_from>). For a list of valid operation point validity period, please run one of the getOperationPointByXXX web service request.	<valid_from>1990-01-01+01:00</valid_from> <valid_to>2099-12-31+01:00</valid_to>
	231	DUPLICATE_REFERENCE_ID	Duplicate REFERENCE ID. The reference ID is already defined on a national level (for the country) in the system. For a valid REFERENCE ID, please run the getOperationPointByReferenceId web service request.	<reference_id>01016</reference_id> (PLC code)
	232	DUPLICATE_ENEE_ID	Duplicate ENEE_ID in the system. For a valid enee ID, please run the getOperationPointByReferenceId web service request and check for duplication.	<enee_id>55010165</enee_id>
5134	233	INVALID_ENEE_ID	Invalid ENEE ID in the system. For a list of valid enee_IDs, please run the getOperationPointByXYZ web service request. The ENEE_ID should be 6 or 8-digit long.	<enee_id>55010165</enee_id>
	234	INVALID_DATE_FORMAT	Invalid DATE FORMAT that can't be resolved in the system. The supported formats are: - dd.MM.yyyy, - dd.MM.yyyy HH:mm:ss.	<first_date>13.12.2020 00:00:00</first_date>
	237	UNKNOWN_TIMETABLE_PERIOD	For a list of valid timetable period IDs, please run the getTimetablePeriods web service request.	<timetable_period id="2021">
	238	UNKNOWN_PROCESS_TYPE_ID	Unknown PROCESS TYPE ID that can't be resolved in the system.	
	239	MANDATORY_LEADING_RU_ID_MISSING_ERROR	The request doesn't contain info about the leading Applicant and it cannot be extracted from the context (e.g. the system recognizes that the user belongs to an IM agency and she is trying to create a dossier which is not of Catalogue process type). For a list of valid Applicant IDs in the dossier, please run the getRUIMPairsForDossier or getRUUserDataForDossier web service requests.	<leading_ru_id> <agency_id>323</agency_id> </leading_ru_id>

	240	MINIMUM_NUMBER_OF_PATH_SECTIONS_ERROR	Sub-paths must contain at least two path sections.	
	241	MANDATORY_RU_PATH_MISSING_ERROR	All process types except Catalogue must have a defined Applicant timetable.	<tt_ru>
	242	INVALID_CALENDAR_ITEM_BITFIELD_ERROR	Invalid calendar bitfield	<pre><bitfield>00100000010000001000000100000010000001 000000100000010000001000000100000010000001000 000100000010000001000000100000010000001000000 100000010000001000000100000010000001000000100 000010000001000000100000010000001000000100000 010000001000000100000010000001000000100000010 0000010000000100000010000001000000100000010000 001000000100000010000001000000100000010000001 00000010000</bitfield></pre> <p>The bitfields are representing the requested running days in the calendar (365 days=365 bits) with the indication of '0'=not running and with the value of '1'=running.</p>
	244	TRAFFIC_PERIOD_NAME_ALREADY_IN_USE_ERROR	TRAFFIC PERIOD NAME is already in use in the system on the national level (in the country).	<name>2021</name>
	245	AGENCYGROUP_TRAFFIC_PERIOD_ALREADY_IN_USE_ERROR	The TRAFFIC PERIOD is already used in the system or it has been defined on the national level (in the country) for the given bitfield. For a list of valid traffic periods for the country, please run the getTrafficPeriodsForAgencyGroup web service request.	
	246	UNKNOWN_TRAFFIC_PERIOD_ID	Unknown TRAFFIC PERIOD ID that can't be resolved in the system. For a list of valid traffic period IDs, please run the getTrafficPeriodsForAgencyGroup web service request.	
5136	247	UNKNOWN_OPERATIONPOINT_REFERENCE_ID	Unknown OPERATIONPOINT REFERENCE ID that can't be resolved in the system. For a list of valid operation point with reference IDs, please run the getOperationPointByRefrencelds web service request.	<reference_id>01016</reference_id> (PLC code)

	248	UNKNOWN_AGENCY_UIC_ID	Unknown agency UIC ID that can't be resolved in the system. For a list of valid UIC IDs, please run the getAllAgencies web service request.	<agency id="2600">
5136	252	INVALID_REFERENCE_ID	Invalid REFERENCE ID. It could be an empty value or it could be that mandatory value is missing.	
	253	USED_AGENCY_IS_NOT_INVOLVED_IN_DOSSIER	The AGENCY is not involved in the dossier. For a list of valid agencies, please run the getDossier or the getAllAgencies web service requests.	
	262	CURRENT_RU_IM_PAIR_MISSING_ERROR	The request represents an update of the dossier but there is no information which Applicant - IM pair should be used for the update. For a list of valid Applicant - IM pair, please run the getRUIMPairForDossier web service request.	<ru_im_pair_id>128586</ru_im_pair_id>
	263	UNKNOWN_RU_IM_PAIR_ID	Unknown APPLICANT - IM PAIR ID that can't be resolved in the system. For a list of valid Applicant - IM pair ID, please run the getRUIMPairForDossier web service request.	<ru_im_pair_id>128586</ru_im_pair_id>
	264	USER_NOT_PART_OF_CURRENT_RU_IM_PAIR	The user is not part of the Applicant - IM pair for which the update is performed. For a list of valid Applicant - IM pair ID, please run the getRUIMPairForDossier web service request to find the correct pairs.	<pre> <ru_im_pairs> <ru_im_pair id="128887"> <dossier_id>218260</dossier_id> <ru_id> <agency_id>323</agency_id> </ru_id> <im_id> <agency_id>229</agency_id> </im_id> <ru_progress_status_id>P</ru_progress_status_id> <im_progress_status_id>U</im_progress_status_id> <dossier_status_id>D</dossier_status_id> <process_type_id>L</process_type_id> <national_im_parameters/> </ru_im_pair> </ru_im_pairs> </pre>

	265	CURRENT_RU_IM_PAIR_NOT_INVOLVED_IN_DOSSIER	<p>The APPLICANT - IM PAIR is not involved in the dossier.</p> <p>For a list of valid Applicant - IM pair ID, please run the getRUIMPairForDossier web service request to find the correct pairs.</p>	<pre><ru_im_pairs> <ru_im_pair id="128887"> <dossier_id>218260</dossier_id> <ru_id> <agency_id>323</agency_id> </ru_id> <im_id> <agency_id>229</agency_id> </im_id> <ru_progress_status_id>P</ru_progress_status_id> <im_progress_status_id>U</im_progress_status_id> <dossier_status_id>D</dossier_status_id> <process_type_id>L</process_type_id> <national_im_parameters/> </ru_im_pair> </ru_im_pairs></pre>
	272	MANDATORY_IM_PATH_MISSING_ERROR	<p>The request represents a dossier transition but the mandatory IM path is missing.</p>	<pre><tt_im></pre>
5208	273	UNKNOWN_IM_PARAMETER_ERROR	<p>Unknown IM PARAMETER ID that can't be resolved in the system.</p> <p>For a list of valid IM parameters, please run the getImParameters web service request.</p>	
5135	274	UNKNOWN_COUNTRY_CODE	<p>Unknown COUNTRY CODE that can't be resolved in the system.</p> <p>For a list of valid COUNTRY CODEs, please run the getAllCountryCodes web service request.</p>	<pre><country_code>FR</country_code> <country_name>France</country_name></pre>
5205	275	UNKNOWN_CORRIDOR_CATALOGUE_ID	<p>Unknown CORRIDOR CATALOGUE ID that can't be resolved in the system.</p> <p>For valid corridor catalog IDs, please run the getCatalog web service request.</p>	
	276	UNKNOWN_PARAMETER_SET_CODE	<p>Unknown PARAMETER SET CODE that can't be resolved in the system.</p> <p>Please define a valid parameter set code.</p>	<pre><parameter_set_code>...</parameter_set_code></pre>
5166	277	UNKNOWN_LOCO_IDENT	<p>Unknown LOCO IDENT ID that can't be resolved in the system.</p> <p>For a valid loco type number, please run the getDossier web service request.</p>	<pre><loco_ident id="3853349"></pre>
5167	278	UNKNOWN_LOCO_TYPE_NUMBER	<p>Unknown LOCO TYPE number.</p> <p>For a valid loco type number, please run the getDossier web service or check the available loco types in the GUI by going to Loco Types submenu.</p> <p>The planned implementation of the getLoco web service will be around September this year.</p>	<pre><loco_type_number>1116</loco_type_number></pre>

5169	279	UNKNOWN_TRAIN_CC_SYSTEM	Unknown TRAIN CC system that can't be resolved in the system. For a list of valid train CC system, please run the getTrainCCSystemCodes web service request.	<trainccsyst_id>1024</trainccsyst_id> <trainccsyst_description>EVM</trainccsyst_description>
5170	280	UNKNOWN_TRAIN_RADIO_SYSTEM	Unknown TRAIN RADIO system that can't be resolved in the system. For a list of valid train radio system, please run the getTrainRadioSystemCodes web service request.	<train_radio_system_id>1000</train_radio_system_id> <train_radio_system_description>GSM-R</train_radio_system_description>
5168	281	UNKNOWN_TRACTION_MODE	Unknown TRACTION MODE that can't be resolved in the system. For a list of valid traction mode, please run the getTractionModes web service request.	<traction_mode_id>11</traction_mode_id> <traction_mode_description>Train traction-1st traction unit in the group</traction_mode_description>
	282	UNKNOWN_PATH_SECTION_EXCEPTIONAL_GAUGING_IDENT	Unknown path section's an EXCEPTIONAL GAUGING IDENT ID that can't be resolved in the system. For a list of valid exceptional gauging indents IDs, please run the getDossier web service request.	<exception_gauging_ident_id>1000</exception_gauging_ident_id>
	283	UNKNOWN_EXCEPTIONAL_GAUGING_IDENT	Unknown path section's an exceptional GAUGING IDENT ID that can't be resolved in the system. For a list of valid exceptional gauging indent IDs, please run the getExceptionalGaugingIdents web service request.	<exception_gauging_ident_id>1000</exception_gauging_ident_id>
	284	UNKNOWN_DANGEROUS_GOODS_INDICATION	The request contains the path section's DANGEROUS GOODS indication ID that can't be resolved in the system. For a list of valid dangerous goods indication, please run the getGoodsTypesByCargoTypeEneeld or run the getDossier web service requests.	<dangerous_goods_indication_id>70700</dangerous_goods_indication_id>
	285	UNKNOWN_PACKAGE_GROUP	Unknown PACKAGE GROUP ID that can't be resolved in the system. For a valid package group ID, please run the getDossier web service request.	<package_group id="3080">
5154	287	UNKNOWN_TRAINTYPE_ID	Unknown TRAIN TYPE that cannot be found in the system. For a list of a valid train type system, please run the getTrainType web service request.	<train_type_id>1001</train_type_id>
	288	MISSING_TIME_ON_REFERENCE_POINT	The request is missing mandatory arrival/departure times for the selected reference point.	

	293	UNKNOWN_PATH_SECTION_ACTIVITY_TYPE	Unknown path section's ACTIVITY TYPE ID that can't be resolved in the system. For a valid path section's activity types, please run the getDossier web service request.	<activity_type id="3831607">
5202	294	UNKNOWN_ACTIVITY_TYPE	Unknown ACTIVITY CODE that can't be resolved in the system. Please consult getActivityTypes operation for a list of valid entries.	<activity_type_id>1000</activity_type_id>
	295	UNKNOWN_TILTING_FUNCTION_ID	Unknown TILTING FUNCTION that can't be resolved in the system. For a list of valid tilting functions, please run the getAllTiltingFunctions web service request.	<tilting_function_id>1000</tilting_function_id> <tilting_function_description>Active tilting</tilting_function_description>
	296	TRAIN_PARAMETERS_NOT_IN_LINE_WITH_TRAIN_TYPE_ERROR	The request contains either: 1.) passenger train parameters for cargo dossier or 2.) cargo train parameters for passenger dossier.	
	298	MORE_THEN_ONE_AGENCY_FOR_UICID_ERROR	Invalid AGENCY UIC ID that can't be resolved in the system. For a list of valid UIC ID, please run the getAllAgencies web service request if it is registered for the agency.	<uic_id>0071</uic_id>
	300	INVALID_TRAIN_PARAMETER_VALUE	The request contains a path section where either: 1.) Train weight < Weight of set of carriages, 2.) Train length < Length of a set of carriages, 3.) Max speed < Highest planned speed.	
	301	UNAUTHORIZED_ERROR	No authentication information found for protected operation. (eg.: the authentication header contains an old code value. When authentication is done for Test 1 system and trying to run the request in the Production environment.)	
5039	302	INSUFFICIENT_PRIVILEGES_ERROR	The request represents an operation for that the user does not have the privilege. Some examples would be the user trying to modify dossier segments (e.g. add comments, change leading agency...) when she has no sufficient access rights.	
	303	STALE_DATA_ERROR	The request represents an update of a dossier but it contains stale data. Please use getDossier to retrieve the up-to-date dossier data.	

5030	307	INVALID_STATE_TRANSITION_ERROR	The request represents an update of a dossier, but the transition is not a valid one. Please check the process type and dossier status in the request.	
	310	ACCEPT_DOSSIER_NOT_ALLOWED_DUE_TO_MISSING_TRAIN_PARAMS	The dossier progress status cannot be changed to green because of missing mandatory train parameters.	
	500	PING_FAILED	Constant for ping fail status.	
	501	SYSTEM_ERROR	A system error indicates a programming bug.	
	601	UNKNOWN_PATH_SECTION_LOCATION_TYPE	Unknown path section's LOCATION TYPE ID that can't be resolved in the system. For a valid path section's location type ID, please run the getDossier web service request.	<location_type id="1711168">
	602	UNKNOWN_LOCATION_TYPE	Unknown LOCATION CODE that can't be resolved in the system. For a list of valid location codes, please run the getLocationTypes web service request.	<location_type_id>1000</location_type_id>
	603	UNKNOWN_PATH_ALTERATION_TYPE	The start of the Path Alteration process contains an unknown PA type.	
	604	UNKNOWN_PATH_MODIFICATION_TYPE	The start of the Path Modification process contains an unknown PM type.	
	607	TIMETABLE_PERIOD_IS_NOT_ACTIVE_FOR_DOSSIER_CREATION	The request is a dossier creation for a timetable period that is still NOT open for editing. For a list of valid timetable periods, please run the getTimetablePeriods web service request.	
	610	UNKNOWN_DOSSIER_RUIMPAIR_PARAMETER_ID	Unknown DOSSIER LEVEL PARAMETER that can't be resolved in the system. For a valid dossier-level parameter, please run the getDossier web service request.	It is declared in the <ru_im_pairs> section at following way: <national_im_parameter id="182346"> <name>Type of freight train</name> <value>Ko - International corridor freight train (45)</value> </national_im_parameter>
	615	INVALID_VALIDITY_PERIOD	Invalid VALIDITY PERIOD that could not be resolved in the system. For a valid validity period, please run the getDossier web service request and search for the validity period.	<validity_period>13.12.2020-11.12.2021</validity_period>
	618	UNKNOWN_PATH_ALTERATION_REJECTION_CAUSE	Unknown REJECTION TYPE that could not be resolved by the system. For a list of valid rejection types, please run the getPathAlterationRejectionCause web service request.	
	619	UNKNOWN_PATH_MODIFICATION_REQUEST_REJECTION_CAUSE	Unknown REJECTION TYPE that could not be resolved by the system. For a list of valid rejection type, please run the getPathModificationRequestRejectionCause web service request	




	620	UNKNOWN_PATH_MODIFICATION_OFFER_REJECTION_CAUSE	Unknown REJECTION TYPE that could not be resolved by the system. For a list of valid rejection types, please run the getPathModificationOfferRejectionCause web service request.	
	621	UNKNOWN_PAP_REQUEST_ID	Unknown PAP REQUEST ID that can't be resolved in the system. For a valid PaP request ID, please run the getDossier web service request.	<pap_request_id>20544</pap_request_id>
5205	622	PAP_REQUESTS_NOT_RESERVED_ERROR	Not all PaP REQUESTs inserted in the dossier are reserved. To check the PaP request status, please run the getDossier web service request.	<status>RESERVED</status>
	623	PARTIAL_OFFER_REQUEST_REASON_EMPTY	The reason for starting a partial offer is empty.	
	624	PROGRESS_STATUS_DOWNGRADE_REASON_EMPTY	The reason for the progress status downgrade of the agency is empty.	
5205	625	INVALID_CORRIDOR_ID	Invalid CORRIDOR ID that can't be resolved in the system. For a list of valid corridor IDs, please run the getAllCorridors or the getDossier web services request.	<corridor id="1003">
	634	DOSSIER_REJECTION_CAUSE_EMPTY	Mandatory rejection cause missing when IMs try to reject dossier from Path Request or Path Elaboration.	
	637	ACCEPT_DOSSIER_NOT_ALLOWED_DUE_TO_MISSING_OPERATION_POINTS	The acceptance of the dossier is not allowed because not all locations are entered by the user.	
5205	638	UNKNOWN_CATALOG_DOSSIER_ID	Unknown CATALOG DOSSIER ID that can't be resolved in the system. For valid catalog IDs, please run the getDossier or the getCatalogs web service requests.	
	639	MISSING_MANDATORY_TIMES	The CATALOG DOSSIER is missing mandatory times. Please define the mandatory times in the catalog.	
	640	WRONG_PARENT_ID	Incorrect parent ID.	
	641	USED_PATH_ID_DOES_NOT_BELONG_TO_DOSSIER	The request contains a PATH ID that is not part of the dossier. For valid path IDs, please run the getDossier web service request.	path_id>552758</path_id>
	642	USED_OPERATION_POINT_ID_DOES_NOT_BELONG_TO_PATH_SECTION_IN_REFERENCED_PATH	The request contains the path section's OPERATION POINT ID that doesn't belong to the path section in the referenced path. For a valid path section's operation point ID, please run the getDossier web service request.	<from_op_id>117236</from_op_id>

	643	UNKNOWN_OBSERVATION_TYPE_ID	Unknown OBSERVATION TYPE ID that can't be resolved in the system. For a list of valid observation type ID, please run the getObservationTypes web service request.	<observationType> <observation_type_id>1</observation_type_id> <observation_type_description>Route not correct</observation_type_description> </observationType>
	644	GENERAL_TERMS_AND_CONDITIONS_NOT_ACCEPTED	If the dossier contains a PaP request then ALL FREIGHT APPLICANTS must accept the CORRIDOR's GENERAL TERMS and CONDITIONS! To read more about it please visit the document library: https://cms.rne.eu/pcs/pcs-documentation-0/how-accept-general-terms-and-...	
	645	TRAIN_ID_IS_NOT_DEFINED	The TSI TRAIN ID or PATH ID definitions are missing. To check, please run the getDossier web service request.	<train_id> or <tsi_path_id>
	646	USED_PATH_SECTION_ID_DOES_NOT_BELONG_TO_DOSSIER	The request contains a PATH SECTION ID that is not part of the dossier. For valid path section IDs, please run the getDossier web service request.	<path_section id="3704959">
	647	PATH_ID_MISSING_ERROR	The request contains a PATH ID that is not part of the dossier. For valid path IDs, please run the getDossier web service request.	<path_id>?</path_id>
	648	PATH_SECTION_ID_MISSING_ERROR	The request is trying to update path sections, but no path section id is provided. Please provide a valid path section ID.	
	650	NO_CHANGES_FOUND	No changes made to the dossier. The dossier version won't be saved.	
	651	INVALID_TRAIN_PARAMETER_VALUE_AGAINST_CATALOGUE	Invalid TRAIN PARAMETERS value in the catalog. To check the catalog train parameters, please run the getDossier or the getCatalog web service requests.	
	654	INVALID_PROCESS_INITIATOR	Set Applicant-IM pair ID is not valid to process the initiator.	
	655	INVALID_DOSSIER_RUIM_PAIR_ID_MARKED_AS_AFFECTED	The dossier's Applicant - IM pair ID marked as affected is not valid (doesn't belong to dossier or it belongs to pair with COSS).	
	657	INVALID_ACTION_PROCESSING_OFFER	Action in processing PA/PM Offer is not valid. Should be 'A' or 'R'.	
	658	UNSATISFIED_TRANSITION_CONDITIONS	The transition cannot proceed, because there are conditions that are not satisfied.	
5148	659	INVALID_DWELL_TIME	Invalid DWELL TIME. The dwell time is less than the difference between the departure and the arrival times.	

660	ONLY_RU_SHOULD_HAVE_COMMERCIAL_STATUS	Only Applicants should have commercial status.	
661	ONLY_RU_IM_PAIR_BASED_DOSSIERS_HAVE_PROGRESS_STATUS	Applicant - IM pair based dossiers should only have traffic lights on Applicant - IM pair based level only.	
662	ONLY_RU_SHOULD_HAVE_PRODUCTION_FLAG	Only Applicants should have production only flag set.	
663	RU_IM_PAIR_BASED_DOSSIERS_INVALID_DOSSIER_STATUS	Applicant - IM pair based dossiers contain dossier status on Applicant - IM pair based level only. For a list of valid phase description, please run the getDossierProcessPhases web service request.	
664	RU_IM_PAIR_BASED_DOSSIERS_INVALID_PROCESS_TYPE	Applicant - IM pair based dossiers should have process type set on Applicant - IM pair level only.	<pre><process_type_id>L</process_type_id> The following Dossier_Process_types are available: N processtype.newPathRequest L processtype.latePathRequest H processtype.adhoc2PathRequest Y processtype.feasibilityStudy A processtype.adhocPartiallyHarmonized E processtype.pathAlteration M processtype.pathModification R processtype.adhocPreAccepted O processtype.rollingPlanning</pre>
665	PRODUCTION_AGENCY_ALREADY_INVOLVED_IN_DOSSIER_PAIRS	Production related AGENCY already exists in the dossier.	
666	ONLY_ONE_USER_VARIANT_ALLOWED_FOR_DOSSIER_CREATION	Only one USER VARIANT is supported during dossier creation.	
667	SUB_PATH_INCORRECT_TSI_VARIANT_ASSIGNED	Incorrect TSI VARIANT assigned. For a valid TSI variant, please run the getDossier web service request.	<pre><variant>00</variant></pre>
668	PATH_SECTION_MISSING_RU_ID	The request contains a path section without a responsible Applicant agency. For a valid Applicant ID, please run the getDossier or the getAllAgencies web service requests.	<pre><responsible_ru_agency_id> <agency_id>3601</agency_id> </responsible_ru_agency_id></pre>
669	PATH_SECTION_MISSING_IM_ID	The request contains a path section without a responsible IM agency. For a valid IM ID, please run the getDossier web service request.	<pre><responsible_im_agency_id> <agency_id>229</agency_id> </responsible_im_agency_id></pre>
670	INCONSISTENT_CALENDAR	Inconsistent CALENDAR on the territory. The dossier cannot be accepted, please harmonize the calendar before proceeding further.	
671	EMPTY_CALENDAR	The dossier cannot be accepted because of an empty calendar on the territory.	<pre><calendar_item_id>?</calendar_item_id></pre>
672	COMBINED_PAP_NOT_SUPPORTED	COMBINED PaPs are not supported via web service. The request contains a sub-path that is requesting capacity from PaP that is unavailable.	

673	ONLY FUTURE DAYS CAN BE CHANGED FOR SUB-PATHS IN PA/PM		
674	SUB_PATHS_FROM_ANOTHER_TERRITORY	The request contains subpath ids that do not belong to the provided RU-IM pair id.	
675	TERRITORY_WITHOUT_SUB_PATH	It is not allowed to exist territory without subpath.	
676	REFERENCE_ENTITY_ALREADY_EXISTS	The request contains an entity (entity refers to activity type & loco type) for the insert which is already defined in PCS	
677	REFERENCE_ENTITY_USED_IN_DOSSIER	The request contains update or remove the commands for the entity (entity refers to activity type & loco type), but the entity is already used in a dossier as reference data.	

▼ Print

-  [Printer-friendly version](#)
-  [Send by email](#)
-  [PDF version](#)

▼ Details

State: Published
Topic: [PCS Interface](#)
[Integration Platform](#)
Area: [Technical](#)
Release: [5.x](#)
Company: [All](#)
Type:
Keywords: [pcs ip](#)
[error codes](#)
[handbook](#)

▼ Translations

No translations

Source URL: <https://cms.rne.eu/pcs/pcs-documentation-0/appendix-return-codeserror-codes>